

YTC316-10 A)



—


-
-
-
-

-
-
-

YTC316-10(A)

1				APP
2	24V			
3				
4				
5				
6				
7				
8			1000	
9	RS232	USB		U
10				

	AUTO <20mA 40mA 200mA 1A 5A 10A	
	0.5m 0.8 10A 1m -4 5 A 5m -20 (1 A) 100m -100 (200mA) 1 -500 40mA	± (0.2%+2)
	100 -100K <20mA	± (0.5%+2)
	0.1μ	
		4
	1000	
	: 0 40 : <90%RH	
	AC 220V± 10V 50Hz± 1 Hz	2A
	200W	
	360*290*170 mm	
	6 KG 5 KG	



AC220

220V

I+ I-

I+

I-

V+ V-

V+


V-


RS232

USB

U

1







U

4




U


5




6



A





1

2

3

30

4

5

: 220V± 10% 50Hz

6

7

8

9

10

11

" "

		1
		1
		1
		1
		1
		2
		1
		1
		1
		1
		1
		1

APP" "

1

" "

2

3


 直流电阻测试仪手机操控软件
 发布日期：2020-10-09 13:25
 中英版本：V6.0 ZZ210316SL
 下载地址：https://yunpan.360.cn/surl_yxMmZgm6W76
 纯英版本：V5.9 ZZ210202 SLE
 下载地址：https://yunpan.360.cn/surl_yxMmKnRMNBF
 手持版本：V6.0 ZZ201009 SL_M
 下载地址：https://yunpan.360.cn/surl_yPmiI8cF8P2

4

...



5

- -